




**FIG.1**






**FIG.3**


**FIG. 4**

5/14  
**FIG.5**




7/14

**FIG.7**




MAIN SCREEN VIEW

**FIG.8**




6/14

**FIG.6**




8/14

**FIG.9**




**FIG.10**






9/14

**FIG.11**



**FIG.12**



10/14  
**FIG.13**


**LASER MEASUREMENT ROUTE CREATION** x

MEASUREMENT DIRECTION	<input checked="" type="radio"/> X	<input type="radio"/> Y
	X	Y
MEASUREMENT PITCH	<input type="text" value="0.050"/>	<input type="text" value="0.050"/>
MARGIN DISTANCE	<input type="text" value="0.100"/>	<input type="text" value="0.100"/>
MINIMUM MEASUREMENT LENGTH	<input type="text" value="0.500"/>	
CONNECTED DOTS	<input type="text" value="10"/>	

142

143

**FIG.14**



11/14

**FIG.15**

LAZER MEASUREMENT

LAZER MEASUREMENT ROUTE

☒ DESIGNATE MEASUREMENT REGION

DESIGNATE REGION

☒ CREATE LAZER MEASUREMENT ROUTE

CREATE ROUTE

CONFIRM CREATED ROUTE

CONFIRM ROUTE

LAZER SETTING

SEEK RANGE

1.0

SEEK SPEED [mm/s]

10.0

SCANNING SPEED [mm/s]

5.000

SAMPLING RATE

1000

LAZER MODE

STANDARD

LAZER ROTATIONAL POSITION

90

☒ PERFORM FILTERING

HIGH FREQUENCY [kHz]

0.000

LOW FREQUENCY [kHz]

3.000

MEASUREMENT RESULT FILE NAME

REFERENCE

c:\Program Files\TraceMaker\QVBasic\TestWork.txt

EXECUTE MEASUREMENT

CLOSE


CANCEL

162

161

12/14


**FIG.16**






13/14


***FIG.17A***



***FIG.17B***



***FIG.17C***



***FIG.18***

